Planetary Surface Processes

Cratering
Gravity
Tectonics
Volcanism
Winds
Fluvial
Glacial
Chemical
weathering







Tectonic Activity

Any crustal deformation caused by motions of the surface. Deformation of a material due to an applied *stress* (force per unit area) is characterized by the *strain* (dimensionless):

Melosh (2011)



longitudinal strain
$\varepsilon_l = \Delta l \,/\, l$

shear strain
$\varepsilon_x = \Delta x \,/\, b \approx \theta$

volume strain
$\varepsilon_l = \Delta V \,/\, V$

Tectonic Activity

Any crustal deformation caused by motions of the surface. Deformation of a material due to an applied *stress* (force per unit area) is characterized by the *strain* (dimensionless)

Elastic materials will respond to stress, but regain original properties when stress is removed

Hooke's law: $\sigma_l = E\,\varepsilon_l$

E is Young's modulus (like a spring constant)

$\sigma_s = 2\mu\,\varepsilon_s$

μ is shear modulus

$p = -K\,\varepsilon_V$

K is bulk modulus

Tectonic Activity

Any crustal deformation caused by motions of the surface. Deformation of a material due to an applied *stress* (force per unit area) is characterized by the *strain* (dimensionless)

Viscous materials will deform or flow in a slow smooth way when stress is exerted

Newtonian viscosity:

$$\sigma_s = 2\eta \, d\varepsilon_s / dt$$

η is viscosity

Tectonic Activity

Materials can behave both elastically and viscously; viscoelastic materials may behave elastically on short time periods but viscously on longer (geologic) timescales … *silly putty!*

Usually at low temperatures materials tend to be brittle, and at high temperatures they tend to be ductile (much deformation before fracturing)

Elastic vs. plastic deformation



Horizontal Stresses



Greeley (1994)

Faults

Faults are where the crust fails, causing deformation

- Rock acts like silly putty
- Flows slowly
- Cracks when stressed quickly

Normal (extension)



Thrust (compression)



Strike-slip (shearing)



SIMPLEST Tectonics - *As planet cools*

- *Early* - global volcanism
  - Global expansion caused crust to crack
  - lava leaked through
- *Later* - global contraction
  - Mantle and core cooled, compressed the crust
  - Compressional tectonics



Mercury

Mercury: Shrinking as it cools







Contraction & Compression

Expansion and Tension







Graben

- Extension stress
- Rift valley



Mars



Vertical Stresses






Stresses from underlying
plume pushing up crust
from below
50 km



Tectonics on Mars



Tectonics on Mars



Plescia & Saunders (1982)

Tectonics on Mars



Fig. 6. Schematic sketch map of the exposed faults and units associated with the Syria center of faulting. Circled dot denotes center at 8°S, 100°W. Dashed circles represent future location of Tharsis shields.



Fig. 9. Schematic illustration of the fractures associated with the Pavonis I episode of faulting, center located at 4°S, 110°W and denoted by the circled dot. Dashed circles denote the future location of the large Tharsis shields.

Plescia & Saunders (1982)

Tectonics on Mars



Anderson et al. (2001)

Tension at smaller scales (Mars)



Tension at smaller scales (Earth)

Earthquakes!

Richter scale is logarithmic:

$\log_{10}E = 12.24 + 1.44M_R$

Is Mars tectonically active today?



Wray & Ehlmann (2011)

Plate Tectonics



Strong convection drives recycling of crust on time scale of ~100 MY


Colliding
Spreading
Sinking
volcano: low-density lava erupts to form new continental crust.
continental crust
Mid-Atlantic Ridge
North America
Europe
Atlantic Ocean
Pacific Ocean
ocean trench
plate
convection cell
upper mantle
seafloor crust
subduction zone; crust remelted
New seafloor crust forms and spreads sideways.
seafloor crust
Compressing
Spreading



Plate motions measured with accurate GPS
Typically cm / year

Mid-Ocean Ridge



Mid-Ocean Ridge





Mid-ocean spreading rate measured from magnetic field reversal pattern

Plate boundaries: Convergence



Oceanic-oceanic convergence



Continental-continental convergence



Ocean-continent convergence



Continental collisions → mountain ranges



Andes - Pacific ocean plate sinks under South American plate

Mountains along former plate boundaries





Plate tectonics shaped the Earth

- Seafloor recycling
  - Keeps the seafloor young
  - Ocean ridges and trenches
- Built and shaped the continents
  - Mountain ranges
  - Tectonic features (e.g. faults)
  - Volcanoes
  - Earthquakes



Important for habitability?